

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Xivana® Prime 20 SC Fungicide  
**Product code (UVP)** 85401157

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide  
**Restrictions on use** See product label for restrictions.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropsience Pty Ltd  
ABN 87 000 226 022  
Level 4, 109 Burwood Rd  
Hawthorn 3122  
Victoria  
Australia  
**Telephone** (03) 9248 6888  
**Telefax** (03) 9248 6800  
**Responsible Department** 1800 804 479 Technical Information Service  
**Website** [www.crop.bayer.com.au](http://www.crop.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Chronic aquatic toxicity: Category 3  
H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to specific Australian legislation

Hazard label for supply/use required.

##### Hazardous components which must be listed on the label:

Fluoxapiprolin

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

**Signal word:** Warning

### Hazard statements

H317 May cause an allergic skin reaction.

### Precautionary statements

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical nature

Fluoxapiprolin 20 g/l  
Suspension concentrate (=flowable concentrate)(SC)

Chemical name	CAS-No.	Concentration [%]
Fluoxapiprolin	1360819-11-9	1.90
Glycerine	56-81-5	$\geq 1.00 - \leq 20.00$
Docusate sodium	577-11-7	$\geq 1.00 - < 3.00$
1,2-Benzisothiazol-3(2H)-one	2634-33-5	$\geq 0.005 - < 0.05$
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	$\geq 0.0002 - < 0.0015$
Other ingredients (non-hazardous) to 100%		

## SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

## SECTION 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazchem Code** Not applicable

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

### 6.4 Reference to other sections

Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

## SECTION 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Keep containers tightly closed in a cool, well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Glycerine (Inhalable mist.)	56-81-5	10 mg/m <sup>3</sup> (TWA)	12 2011	AU NOEL

### 8.2 Exposure controls

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.  
Material Nitrile rubber  
Rate of permeability > 480 min

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

	Glove thickness	> 0.4 mm
	Protective index	Class 6
	Directive	Protective gloves complying with EN 374.
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).	
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.	
<b>General protective measures</b>	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.	
<b>Engineering Controls</b>		
<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation.	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

<b>Form</b>	Liquid
<b>Colour</b>	white to beige
<b>Odour</b>	No data available
<b>Odour Threshold</b>	No data available
<b>pH</b>	5.0 - 7.5 (100 %) (23 °C)
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	> 102 °C (1,013 hPa), closed cup
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	420 °C
<b>Minimum ignition energy</b>	No data available
<b>Self-accelerating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	1.05 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Fluoxapiprolin: log Pow: 3.4 (25 °C) (pH 7)
<b>Particle size</b>	3.0 - 5.0 µm (Particle Size Distribution 90 %) (20 °C) laser diffraction
<b>Viscosity, dynamic</b>	300 - 450 mPa.s (20 °C) Velocity gradient 20 /s
<b>Viscosity, kinematic</b>	No data available
<b>Surface tension</b>	32 mN/m (25 °C) Determined as a 0,1% solution in distilled water (1 g/l).
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

### SECTION 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

<b>Acute oral toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 4.07 mg/l Exposure time: 4 h

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

	Determined in the form of a respirable aerosol. Highest attainable concentration.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit)
<b>Serious eye damage/eye irritation</b>	No eye irritation (Rabbit)  No eye irritation (Isolated chicken eyes)
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)
<b>Assessment neurotoxicity</b>	
Fluoxapiprolin did not demonstrate the potential to cause neurotoxicity in standard toxicity studies using laboratory animals.	
<b>Assessment mutagenicity</b>	
Fluoxapiprolin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.	
<b>Assessment carcinogenicity</b>	
Fluoxapiprolin is not considered carcinogenic.	
<b>Assessment toxicity to reproduction</b>	
Fluoxapiprolin did not cause reproductive toxicity in a two-generation study in rats.	
<b>Assessment developmental toxicity</b>	
Fluoxapiprolin did not cause developmental toxicity in rats and rabbits.	
<b>Assessment STOT Specific target organ toxicity – single exposure</b>	
Fluoxapiprolin: Based on available data, the classification criteria are not met.	
<b>Assessment STOT Specific target organ toxicity – repeated exposure</b>	
Fluoxapiprolin did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.	
<b>Aspiration hazard</b>	
Based on available data, the classification criteria are not met.	
<b>Information on likely routes of exposure</b>	
Harmful if inhaled. May cause sensitisation by skin contact. May cause eye irritation. Harmful if swallowed.	
<b>Early onset symptoms related to exposure</b>	
Refer to Section 4	
<b>Delayed health effects from exposure</b>	
Refer to Section 11	
<b>Exposure levels and health effects</b>	
Refer to Section 4	
<b>Interactive effects</b>	

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No further toxicological information is available.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l static test; Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) > 100 mg/l static test; Exposure time: 48 h
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Daphnia magna (Water flea)): 32 µg/l Exposure time: 21 d The value mentioned relates to the active ingredient.
<b>Toxicity to aquatic plants</b>	ErC50 (Raphidocelis subcapitata (freshwater green alga)) > 96.2 mg/l static test; Exposure time: 72 h  NOEC (Raphidocelis subcapitata (freshwater green alga)) 11.5 mg/l static test; Exposure time: 72 h  ErC50 (Lemna gibba (gibbous duckweed)) > 100 mg/l static test; Exposure time: 7 d
<b>Toxicity to other organisms</b>	LC50 (Eisenia fetida (earthworms)) > 1,000 mg/kg Exposure time: 14 d

### 12.2 Persistence and degradability

<b>Biodegradability</b>	Fluoxapiprolin: 0 %, Exposure time: 28 d Not readily biodegradable.
-------------------------	--

<b>Koc</b>	Fluoxapiprolin: Koc: 6548
------------	---------------------------

### 12.3 Bioaccumulative potential

<b>Bioaccumulation</b>	Fluoxapiprolin: Bioconcentration factor (BCF) 8.00 - 8.62 Does not bioaccumulate.
------------------------	--

### 12.4 Mobility in soil

<b>Mobility in soil</b>	Fluoxapiprolin: Immobile in soil
-------------------------	----------------------------------

### 12.5 Other adverse effects

<b>Additional ecological information</b>	No other effects to be mentioned.
--	-----------------------------------

## SECTION 13. DISPOSAL CONSIDERATIONS

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.  
DO NOT burn empty containers or product.

### SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 89997

#### SUSMP classification (Poison Schedule)

Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Xivana® is a Registered Trademark of the Bayer Group.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods

# Safety Data Sheet



## Xivana® Prime 20 SC Fungicide

Version 1 / AUS  
102000033755

Revision Date: 24.05.2022  
Print Date: 17.01.2024

LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitizer
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

**Reason for Revision:** The following sections have been revised: Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.