

CONTENTS

DIRECTION FOR USE.....	2
RESTRAINT.....	2
RESTRICTIONS.....	3
WITHHOLDING PERIODS.....	3
EXPORT OF TREATED PRODUCE.....	3
GENERAL INSTRUCTIONS.....	3
Mixing.....	3
FUNGICIDE RESISTANCE WARNING.....	3
COMPATIBILITY	3
PRECAUTIONS	4
Re-entry.....	4
PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT.....	4
STORAGE AND DISPOSAL.....	4
SAFETY DATA SHEET	4
EXCLUSION OF LIABILITY	4
GHS STATEMENTS	4



POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Antracol®

FUNGICIDE SPRAY

ACTIVE CONSTITUENT: 700 g/kg PROPINEB

GROUP M3 FUNGICIDE

For the control of blue mould of tobacco, target spot (early blight) and late blight (Irish blight) of potatoes and tomatoes, grey leaf spot of tomatoes, downy mildew of cucurbits and onions, black spot of citrus and certain other diseases as specified in the DIRECTIONS FOR USE table

DIRECTION FOR USE

RESTRAINT

DO NOT apply with equipment carried on the back of the user.

CROP	DISEASE/PEST	STATE	RATE	WHP (DAYS)	CRITICAL COMMENTS
Celery	Septoria leaf spot	Vic, Tas, WA only	200 g/100 L or 2 kg/ha	7	Apply when conditions favour disease and repeat at 7-10 day intervals.
Citrus	Black spot	NSW, Vic, SA, WA only	200 g/100 L plus white oil 250 mL/100 L	7	Apply 6 weeks after copper spray at petal fall and 12 weeks after petal fall. Coastal lowlands and highlands (NSW): apply 8 and 14 weeks after the petal fall copper spray.
	Citrus rust mite	NSW, Vic, SA, WA only			
	Black spot Citrus rust mite	Qld only	200 g/100 L plus white oil 600 mL/100 L		
Cucurbits e.g.: cucumbers, rockmelons	Downy mildew	All States	200 g/100 L or 2 kg/ha	3	Apply at weekly intervals while conditions favour disease. Spray both sides of leaves thoroughly.
Lettuce	Downy mildew	Vic, Tas, WA only	200 g/100 L or 2 kg/ha	3	Apply when conditions favour disease and repeat at 7-10 day intervals.
Onions	Downy mildew	All States	200 g/100 L or 2 kg/ha	14	Apply at intervals of 7-10 days from early in the life of the crop. If conditions favour disease development consider using a systemic fungicide. Add wetting agent.
Potatoes	Target spot (Early blight) Irish blight (Late blight)	All States	200 g/100 L or 2 kg/ha	1	Apply when conditions favour disease and repeat at 7-10 day intervals.



CROP	DISEASE/PEST	STATE	RATE	WHP (DAYS)	CRITICAL COMMENTS
Tobacco	Blue mould	Vic, WA only	200 g/100 L or 2 kg/ha	7	Apply at weekly intervals commencing 7 days after transplanting and terminating 7 days before first pick. Apply 350 L spray mix per ha after transplanting, increasing to 1350 L on a fully grown crop. Apply at weekly intervals terminating 7 days before first pick.
		Qld, NSW, WA only			
	Frogeye leaf spot Brown spot	Qld, WA only			
Tomatoes	Target spot (Early blight) Irish blight (Late blight) Grey leaf spot (<i>Stemphylium</i>)	All States	200 g/100 L or 2 kg/ha	3	Apply when conditions favour disease and repeat at 7-10 day intervals. In places where diseases are severe commence at seed bed stage.
Watermelon, rockmelon	Anthrachnose Gummy stem blight	Qld, WA only	200 g/100 L or 2 kg/ha	3	Apply every 7-10 days depending on weather and disease incidence. First application may be made when vines begin to run.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

RESTRICTIONS

When applying by airblast, use enclosed cab equipment only.

WITHHOLDING PERIODS

Potatoes: DO NOT HARVEST FOR 1 DAY AFTER APPLICATION

Cucurbits, Lettuce, Tomatoes: DO NOT HARVEST FOR 3 DAYS AFTER APPLICATION

Celery, Citrus, Tobacco: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION

Onions: DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION

EXPORT OF TREATED PRODUCE

Growers should note that MRLs or import tolerances do not exist in all markets for edible produce treated with Antracol. If you are growing edible produce for export, please check with Bayer CropScience Pty Ltd for the latest information on MRLs and import tolerances before using Antracol.

GENERAL INSTRUCTIONS

Mixing

To the required quantity of Antracol add a small amount of water and stir to make a paste. Add further water and mix until a cream results. Pour this into water in spray vat while stirring or with agitators in motion.

FUNGICIDE RESISTANCE WARNING

GROUP M3 FUNGICIDE

Antracol is a member of the multi-site group of fungicides. For fungicide resistance management Antracol is a Group M3 fungicide. Some naturally occurring individual fungi resistant to the product and other Group M3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group M3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that result from failure of this product to control resistant fungi.

COMPATIBILITY

Ensure that water is of suitable quality for mixing with agricultural pesticides. Poor quality water can cause physical incompatibility between some products which may result in crop damage in some circumstances.



Antracol is compatible with most commonly used insecticides and fungicides including Bayfidan® 250 EC, Dipterex® 500 SL and Folimat® 800. Antracol is not compatible with lime sulphur and other alkaline materials. When mixing sprays, except when adding oil, add insecticides last. Do not mix concentrates together but add each to the spray tank separately. The compatibilities given are based on world wide experience and are considered correct. However, as changes in climatic conditions can alter the sensitivity of plants to mixtures of sprays, we accept no responsibility for the behaviour of such mixtures.

PRECAUTIONS**Re-entry**

Do not carry out re-entry activities in citrus orchards for 13 days after treatment, unless wearing gloves and cotton overalls.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Single-rinse or shake remainder into spray tank. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not re-use empty container for any other purpose.

SAFETY DIRECTIONS

Harmful if inhaled. Avoid inhaling dust. Avoid contact with skin. Repeated exposure may cause allergic disorders. When opening the container and preparing spray, wear cotton overalls (over normal clothing) buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and a half face-piece respirator with dust cartridge or canister. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. Avoid giving alcohol.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from www.crop.bayer.com.au.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Antracol® and Bayfidan® are Registered Trademarks of the Bayer Group.

APVMA Approval Number 30613/117273

FOR 24 HOUR SPECIALIST ADVICE
IN EMERGENCY ONLY
PHONE 1800 033 111

GHS STATEMENTS

•May cause an allergic skin reaction. •May cause damage to organs (thyroid, peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.
•Do not breathe dust or spray mist. •IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. •Get medical advice/attention if you feel unwell. •Take off contaminated clothing and wash before reuse.