

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Betanal® Flow Herbicide
Product code (UVP) 05942667

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.crop.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

No hazard label for supply/use required.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

Phenmedipham 160 g/l
Suspo-emulsion (SE)

Chemical name	CAS-No.	Concentration [%]
Phenmediphame	13684-63-4	15.80
1,2-Propanediol	57-55-6	>= 1.00 - <= 5.00
Fatty alcohol ethoxylate	78330-21-9	> 1.00 - < 3.00
Docusate sodium	577-11-7	> 1.00 - < 3.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: Lethargy Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product, although being a carbamate, is NOT a cholinesterase inhibitor.
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote. Forced alkaline diuresis and hemodialysis may be considered.



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Whenever possible, contain fire-fighting water by diking area with sand or earth. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Contain the spread of the fire-fighting media.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Contain contaminated water and fire fighting water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Phenmediphame	13684-63-4	1.5 mg/m3 (TWA)		OES BCS*
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m3/150 ppm (TWA)	12 2011	AU NOEL
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m3 (TWA)	12 2011	AU NOEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN



Betanal® Flow Herbicide

Version 2 / AUS
10200000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

374.

Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
General protective measures	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.
Engineering Controls	
Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	white to beige
Odour	weak, aromatic
Odour Threshold	No data available
pH	3.0 - 7.0 (10 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	> 100 °C
Flammability	No data available
Auto-ignition temperature	450 °C
Ignition temperature	The product is not self-ignitable.
Minimum ignition energy	No data available
Self-accelerating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
10200000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

Relative density	No data available
Density	ca. 1.01 g/cm ³ (20 °C)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Phenmedipham: log Pow: 3.59
Viscosity, dynamic	141 mPa.s (20 °C) Velocity gradient 20 /s 88 mPa.s (20 °C) Velocity gradient 100 /s
Viscosity, kinematic	No data available
Surface tension	31 mN/m (25 °C) Determined in the undiluted form.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
Thermal decomposition	No data available
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

Skin corrosion/irritation	Slight irritant effect - does not require labelling (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Non-sensitizing (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

Assessment mutagenicity

Phenmedipham was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Phenmedipham was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Phenmedipham caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Phenmedipham is related to parental toxicity.

Assessment developmental toxicity

Phenmedipham caused developmental toxicity only at dose levels toxic to the dams. Phenmedipham caused a delayed ossification of foetuses. The developmental effects seen with Phenmedipham are related to maternal toxicity.

Assessment STOT Specific target organ toxicity – single exposure

Phenmedipham: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Phenmedipham caused haemolytic anaemia, methaemoglobinaemia in animal studies. The observed effects do not appear to be relevant for humans.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Harmful if inhaled.
May cause skin irritation.
May cause eye irritation.
May be harmful if swallowed.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 8.4 mg/l Exposure time: 96 h Test conducted with a similar formulation.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.5 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient phenmedipham.
Toxicity to aquatic plants	IC50 (Desmodium subspicatus (green algae)) 0.086 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient phenmedipham.

12.2 Persistence and degradability

Biodegradability Phenmedipham:
Not rapidly biodegradable

Koc Phenmedipham: Koc: 888

12.3 Bioaccumulative potential

Bioaccumulation Phenmedipham: Bioconcentration factor (BCF) 165
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Phenmedipham: Slightly mobile in soils

12.5 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse container for any other purpose.

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENMEDIPHAM SOLUTION)
Hazchem Code	•3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

- a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
- b) IBCs

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENMEDIPHAM SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENMEDIPHAM SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 64522

SUSMP classification (Poison Schedule)

Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

Trademark information Betanal® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and

Safety Data Sheet



Betanal® Flow Herbicide

Version 2 / AUS
102000000753

Revision Date: 29.04.2021
Print Date: 30.04.2021

how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.