

# Safety Data Sheet



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Buctril® 200 EC Herbicide  
**Product code (UVP)** 88631153

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888  
**Telefax** (03) 9248 6800  
**Responsible Department** 1800 804 479 Technical Information Service  
**Website** [www.crop.bayer.com.au](http://www.crop.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 4

H302 Harmful if swallowed.

Acute toxicity: Category 3

H331 Toxic if inhaled.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Reproductive toxicity: Category 2

H361d Suspected of damaging the unborn child.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

# Safety Data Sheet



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling according to specific Australian legislation

Hazard label for supply/use required.

**Signal word:** Danger

#### Hazard statements

H302 Harmful if swallowed.  
H331 Toxic if inhaled.  
H317 May cause an allergic skin reaction.  
H361d Suspected of damaging the unborn child.  
H304 May be fatal if swallowed and enters airways.

#### Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.  
P331 Do NOT induce vomiting.  
P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P311 Call a POISON CENTER/doctor/physician.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Emulsifiable concentrate (EC)

Chemical name	CAS-No.	Concentration [%]
Bromoxynil octanoate	1689-99-2	19.60
Solvent Naphtha (petroleum), heavy aromatic, <1% Naphthalene	64742-94-5	> 60.00
Other ingredients (non-hazardous) to 100%		

## SECTION 4. FIRST AID MEASURES



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur: Headache, Nausea, Dizziness, Somnolence Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary oedema and pneumonitis. Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.
-----------------	--

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Risks</b>	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
<b>Treatment</b>	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific antidote. Contraindication: derivatives of adrenaline.

## SECTION 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

<b>Suitable</b>	Water, Dry powder, Carbon dioxide (CO <sub>2</sub> )
-----------------	--

# Safety Data Sheet



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

<b>Unsuitable</b>	High volume water jet
<b>5.2 Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
<b>Hazchem Code</b>	•3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment. Keep unauthorized people away.

**6.2 Environmental precautions** Contain contaminated water and fire fighting water. Do not allow to get into surface water, drains and ground water.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bromoxynil octanoate	1689-99-2	0.21 mg/m <sup>3</sup> (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

##### Respiratory protection

Particle filter half mask, filter FFP2 (Standard EN149)

##### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber

Rate of permeability > 480 min

Glove thickness > 0.4 mm

Directive Protective gloves complying with EN 374.

##### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

##### Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

##### General protective measures

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

#### Engineering Controls

##### Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Form Liquid, clear

# Safety Data Sheet



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

<b>Colour</b>	brown
<b>Odour</b>	No data available
<b>Odour Threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	> 180 °C
<b>Flash point</b>	70 °C
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Minimum ignition energy</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	ca. 1.02 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	Bromoxynil octanoate: log Pow: 5.4
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Oxidizing properties</b>	No data available
<b>Explosivity</b>	No data available

### SECTION 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** Thermal decomposition can lead to release of:  
Hydrogen bromide (HBr)  
Hydrogen cyanide (hydrocyanic acid)  
Carbon oxides  
Nitrogen oxides (NOx)

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

- Acute inhalation toxicity** No data available
- Acute dermal toxicity** No data available
- Acute toxicity (other routes of administration)** No data available
- Skin corrosion/irritation** No data available
- Serious eye damage/eye irritation** No data available
- Respiratory or skin sensitisation** No data available

#### Assessment mutagenicity

Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

#### Assessment toxicity to reproduction

Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.

#### Assessment STOT Specific target organ toxicity – single exposure

Bromoxynil octanoate: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

#### Aspiration hazard

# Safety Data Sheet



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

May be fatal if swallowed and enters airways.

### Information on likely routes of exposure

Toxic by inhalation.

May cause sensitisation by skin contact.

May cause eye irritation.

Harmful if swallowed., Small amounts of the solvent in this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No data is available on the product itself.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 mg/l  
Exposure time: 48 h

**Chronic toxicity to fish** No data available

**Toxicity to aquatic invertebrates** No data available

**Chronic toxicity to aquatic invertebrates** No data available

**Toxicity to aquatic plants** No data available

**Toxicity to other organisms** No data available

### 12.2 Persistence and degradability

**Biodegradability** Bromoxynil octanoate:  
Not rapidly biodegradable

**Koc** Bromoxynil octanoate: Koc: 639

### 12.3 Bioaccumulative potential



# Safety Data Sheet



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

**Bioaccumulation** Bromoxynil octanoate: Bioconcentration factor (BCF) 230  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Bromoxynil octanoate: Slightly mobile in soils

### 12.5 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

Do not reuse container for any other purpose.

Refillable containers:

Empty contents fully into application equipment. Close all valves and return to point of purchase. Refer to product label for further information.

## SECTION 14. TRANSPORT INFORMATION

### ADG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL OCTANOATE SOLUTION)
Hazchem Code	•3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

- a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
- b) IBCs

### IMDG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	NO
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL OCTANOATE SOLUTION)

### IATA



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	NO
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL OCTANOATE SOLUTION)

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 91548

#### SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Buctril® is a Registered Trademark of the Bayer Group.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level

# Safety Data Sheet



## Buctril® 200 EC Herbicide

Version 1 / AUS  
102000059193

Revision Date: 01.03.2022  
Print Date: 01.03.2022

OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.