

# Safety Data Sheet



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Raxil® T Flowable Seed Dressing  
**Product code (UVP)** 05560918

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide, Seed treatment

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 4, 109 Burwood Rd  
Hawthorn 3122  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.crop.bayer.com.au](http://www.crop.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Chronic aquatic toxicity: Category 2  
H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to specific Australian legislation

No hazard label for supply/use required.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical nature

Tebuconazole:Triflumuron 25:4g/l  
Flowable concentrate for seed treatment (FS)

Chemical name	CAS-No.	Concentration [%]
Tebuconazole	107534-96-3	2.36
Triflumuron	64628-44-0	0.38
Glycerine	56-81-5	>= 5.00 - <= 15.00
Synthetic amorphous silica	112926-00-8	>= 1.00 - <= 5.00
(Benzyloxy)methanol	14548-60-8	>= 0.02 - <= 0.20
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 0.005 - <= 0.05
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol- 3- one (3:1)	55965-84-9	>= 0.0002 - <= 0.0015
Other ingredients (non-hazardous) to 100%		

### SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

#### 4.1 Description of first aid measures

<b>Inhalation</b>	Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation or redness persists, see an ophthalmologist.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. If symptoms persist, call a physician. Do not induce vomiting or give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Systemic treatment: Treat symptomatically. There is no specific antidote. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

### SECTION 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Water spray, Foam, Dry chemical, Carbon dioxide (CO<sub>2</sub>), Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** Wear self-contained breathing apparatus and protective suit.

**Further information** Evacuate personnel to safe areas. Whenever possible, contain fire-fighting water by diking area with sand or earth. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazchem Code** •3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment. Keep unauthorized people away.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Collect and transfer the product into a properly labelled and tightly closed container. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

**Advice on protection against fire and explosion** No special precautions required.

**Hygiene measures** Contact with eyes and skin must be avoided. Wash thoroughly with



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

soap and water after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in original container. Keep out of reach of children and animals. Keep away from direct sunlight. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m <sup>3</sup> (SK-ABS)		OES BCS*
Triflumuron	64628-44-0	0.2 mg/m <sup>3</sup> (TWA)		OES BCS*
Glycerine (Inhalable mist.)	56-81-5	10 mg/m <sup>3</sup> (TWA)	12 2011	AU NOEL
Synthetic amorphous silica (Inhalable dust.)	112926-00-8	10 mg/m <sup>3</sup> (TWA)	12 2011	AU NOEL

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

**Respiratory protection** In case of insufficient ventilation wear suitable respiratory equipment.  
Dust mask

**Hand protection** PVC or nitrile rubber gloves

**Eye protection** Goggles

**Skin and body protection** Long-sleeved shirt and long pants  
Chemical resistant headgear for overhead exposure

**General protective measures** In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

### Engineering Controls

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

**Form** suspension

**Colour** red

# Safety Data Sheet



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

<b>Odour</b>	weak, characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	6.0 - 8.0 (23 °C)
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	> 100 °C
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Thermal decomposition</b>	No data available
<b>Minimum ignition energy</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	ca. 1.07 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Tebuconazole: log Pow: 3.7 Triflumuron: log Pow: 4.9 (22 °C)
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Oxidizing properties</b>	No data available
<b>Explosivity</b>	No data available
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

### SECTION 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Elevated temperatures
<b>10.5 Incompatible materials</b>	Oxidizing agents
<b>10.6 Hazardous decomposition products</b>	Thermal decomposition can lead to release of: Hydrogen chloride (HCl) Hydrogen cyanide (hydrocyanic acid) Hydrogen fluoride Carbon monoxide Nitrogen oxides (NOx)

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

<b>Acute oral toxicity</b>	LD50 (Rat) 1,700 mg/kg The value mentioned relates to the active ingredient tebuconazole. LD50 (Rat) > 5,000 mg/kg The value mentioned relates to the active ingredient triflumuron.
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 5.1 mg/l Exposure time: 4 h Determined in the form of dust. The value mentioned relates to the active ingredient tebuconazole.  LC50 (Rat) > 1.6 mg/l Exposure time: 4 h Determined in the form of dust. Highest attainable concentration. The value mentioned relates to the active ingredient triflumuron.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 5,000 mg/kg The value mentioned relates to the active ingredient tebuconazole. LD50 (Rat) > 5,000 mg/kg The value mentioned relates to the active ingredient triflumuron.
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit) The information is derived from the properties of the individual components.
<b>Serious eye damage/eye irritation</b>	Mild eye irritation. (Rabbit) The value mentioned relates to the active ingredient tebuconazole.
<b>Respiratory or skin sensitisation</b>	Non-sensitizing. (Guinea pig) The information is derived from the properties of the individual components.

#### Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Triflumuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

# Safety Data Sheet



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Triflumuron was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Triflumuron did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Triflumuron did not cause developmental toxicity in rats and rabbits.

### Assessment STOT Specific target organ toxicity – single exposure

Tebuconazole: Based on available data, the classification criteria are not met.

Triflumuron: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Triflumuron did not cause specific target organ toxicity in experimental animal studies.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

May be harmful if inhaled.

May cause skin irritation.

May cause eye irritation.

Harmful if swallowed.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No further toxicological information is available.



**Raxil® T Flowable Seed Dressing**

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

**SECTION 12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

**Toxicity to fish** LC50 (*Lepomis macrochirus* (Bluegill sunfish)) 5.7 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient tebuconazole.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) 4.4 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient tebuconazole.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) > 320 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient triflumuron.

**Toxicity to aquatic invertebrates** EC50 (*Daphnia magna* (Water flea)) 4.2 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient tebuconazole.

EC50 (*Daphnia magna* (Water flea)) 0.225 mg/l  
Exposure time: 49 h  
The value mentioned relates to the active ingredient triflumuron.

**Toxicity to aquatic plants** EC50 (*Raphidocelis subcapitata* (freshwater green alga)) 3.8 mg/l  
Exposure time: 72 h  
The value mentioned relates to the active ingredient tebuconazole.

EC50 (*Desmodesmus subspicatus* (green algae)) > 25 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient triflumuron.

**Toxicity to other organisms** LD50 (*Colinus virginianus* (Bobwhite quail)) 1,988 mg/kg  
The value mentioned relates to the active ingredient tebuconazole.

LD50 (*Coturnix japonica* (Japanese quail)) 2,912 mg/kg  
The value mentioned relates to the active ingredient tebuconazole.

LD50 (*Colinus virginianus* (Bobwhite quail)) 561 mg/kg  
The value mentioned relates to the active ingredient triflumuron.

**12.2 Persistence and degradability**

**Biodegradability** Tebuconazole:  
Not rapidly biodegradable  
Triflumuron:  
Not rapidly biodegradable

**Koc** Tebuconazole: Koc: 769  
Triflumuron: Koc: 8601

**12.3 Bioaccumulative potential**

**Bioaccumulation** Tebuconazole: Bioconcentration factor (BCF) 35 - 59  
Does not bioaccumulate.  
Triflumuron: Bioconcentration factor (BCF) 612  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Tebuconazole: Slightly mobile in soils



# Safety Data Sheet



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

Triflumuron: Immobile in soil

### 12.5 Other adverse effects

#### Additional ecological information

No other effects to be mentioned.

## SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

Do not reuse container for any other purpose.

Refillable containers:

If tamper evident seals are broken prior to initial use then the integrity of the contents cannot be assured. Empty container by pumping through dry-break connection system. Do not attempt to breach the valve system or the filling point, or contaminate the container with water or other products. Ensure that the coupler, pump, meter and hoses are disconnected, triple rinsed and drained after each use. When empty, or contents no longer required, return the container to the point of purchase. This container remains the property of Bayer CropScience Pty Ltd.

## SECTION 14. TRANSPORT INFORMATION

### ADG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLUMURON SOLUTION)
Hazchem Code	•3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

- a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
- b) IBCs

### IMDG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLUMURON SOLUTION)

### IATA

# Safety Data Sheet



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLUMURON SOLUTION )

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 40408

#### SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Raxil® is a Registered Trademark of the Bayer Group.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING Conc.	Ceiling Limit Value Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level

# Safety Data Sheet



## Raxil® T Flowable Seed Dressing

Version 1 / AUS  
102000007782

Revision Date: 11.01.2024  
Print Date: 11.01.2024

OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.