

# Safety Data Sheet



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Atlantis® OD Selective Herbicide  
**Product code (UVP)** 05981440

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888  
**Telefax** (03) 9248 6800  
**Responsible Department** 1800 804 479 Technical Information Service  
**Website** [www.crop.bayer.com.au](http://www.crop.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Skin irritation: Category 2

H315 Causes skin irritation.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Skin sensitisation: Category 1A

H317 May cause an allergic skin reaction.

Germ cell mutagenicity: Category 1

H340 May cause genetic defects.

Carcinogenicity: Category 1

H350 May cause cancer.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Acute aquatic toxicity: Category 1

# Safety Data Sheet



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

- H400 Very toxic to aquatic life.  
Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Hazard label for supply/use required.

#### Hazardous components which must be listed on the label:

Mesosulfuron-methyl  
Mefenpyr-diethyl  
Solvent Naphtha (petroleum), heavy aromatic  
Solvent Naphtha (petroleum), light aromatic

**Signal word:** Danger

#### Hazard statements

- H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H304 May be fatal if swallowed and enters airways.

#### Precautionary statements

- P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist/ spray.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.  
P331 Do NOT induce vomiting.  
P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
+ P338  
P310 Immediately call a POISON CENTER/doctor/ physician.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical nature

Mesosulfuron-methyl:Mefenpyr-diethyl 30:90 g/l  
Oil dispersion (OD)

Chemical name	CAS-No.	Concentration [%]
Mefenpyr-diethyl	135590-91-9	8.74



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

Mesosulfuron-methyl	208465-21-8	2.91
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	> 25.00
Docosate sodium	577-11-7	< 7.00
Solvent Naphtha (petroleum), light aromatic	64742-95-6	>= 1.00 - <= 5.00
Naphthalene	91-20-3	< 1.00
Other ingredients (non-hazardous) to 100%		

### SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

#### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist.
<b>Ingestion</b>	Do NOT induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth. Call a physician or poison control center immediately. To prevent aspiration of swallowed product, lay in stable position on one side.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Headache, Nausea, Dizziness, Somnolence
	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
	Aspiration may cause pulmonary oedema and pneumonitis.
	Inhalation may provoke the following symptoms:
	Cough, Shortness of breath, Cyanosis, Fever
	Symptoms and hazards refer to the solvent.

#### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Risks</b>	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
--------------	---



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

### SECTION 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Water spray, Foam, Dry powder, Carbon dioxide (CO<sub>2</sub>)

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides, Hydrogen chloride (HCl), Cyanides

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazchem Code** •3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Use personal protective equipment. Avoid contact with spilled product or contaminated surfaces. Remove all sources of ignition. When dealing with a spillage do not eat, drink or smoke.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.



**Atlantis® OD Selective Herbicide**

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

**SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Mesosulfuron-methyl	208465-21-8	10 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	12 2011	AU NOEL
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	12 2011	AU NOEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the



**Atlantis® OD Selective Herbicide**

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**                      Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**            Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**General protective measures**        In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

**Engineering Controls**

**Advice on safe handling**            Use only in area provided with appropriate exhaust ventilation.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid
<b>Colour</b>	yellow to brown
<b>Odour</b>	aromatic
<b>Odour Threshold</b>	No data available
<b>pH</b>	5.5 - 7.5 (10 %) (23 °C) (deionized water)
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	94 °C
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Ignition temperature</b>	435 °C
<b>Minimum ignition energy</b>	No data available
<b>Self-accelarating</b>	No data available

# Safety Data Sheet



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

### decomposition temperature (SADT)

<b>Upper explosion limit</b>	7 %(V) The data refer to the solvent.
<b>Lower explosion limit</b>	0.6 %(V) The data refer to the solvent.
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	ca. 1.03 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	(20 °C) dispersible
<b>Partition coefficient: n-octanol/water</b>	Mesosulfuron-methyl: log Pow: -0.48 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
<b>Viscosity, dynamic</b>	25 - 60 mPa.s (20 °C) Velocity gradient 20 /s 15 - 50 mPa.s (20 °C) Velocity gradient 100 /s
<b>Viscosity, kinematic</b>	23 mm <sup>2</sup> /s (40 °C) Shear rate of 20/sec
<b>Surface tension</b>	35.2 mN/m (40 °C)
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

## SECTION 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

<b>Thermal decomposition</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

- 10.4 Conditions to avoid** Heat, flames and sparks.  
Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Strong oxidizing agents, Reducing agents, Acids, Bases
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

- Acute oral toxicity** LD50 (Rat) > 5,000 mg/kg
- Acute inhalation toxicity** LC50 (Rat) > 1.33 mg/l  
Exposure time: 4 h  
Highest attainable concentration.  
The value mentioned relates to the active ingredient mesosulfuron-methyl.
- Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kg
- Skin corrosion/irritation** Irritating to skin (Rabbit)
- Serious eye damage/eye irritation** Risk of serious damage to eyes (Rabbit)
- Respiratory or skin sensitisation** Skin: Sensitising (Guinea pig)  
OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment mutagenicity

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.  
Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.  
Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.  
Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits.

#### Assessment STOT Specific target organ toxicity – single exposure

Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Mesosulfuron-methyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.  
Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.





## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Information on likely routes of exposure

May be harmful if inhaled. Inhalation of high concentrations of solvent vapors can cause nausea, vomiting, dizziness, drowsiness and incoordination. Inhalation of high vapour concentrations can cause CNS-depression and narcosis.

Irritating to skin. Prolonged skin contact may cause skin irritation and/or dermatitis. Skin sensitiser  
Causes eye damage.

May be harmful if swallowed. Small amounts of the solvent in this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No further toxicological information is available.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 3.2 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 3.4 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 2.96 mg/l Exposure time: 72 h EC50 (Lemna gibba (gibbous duckweed)) 50.7 µg/l Growth rate; Exposure time: 7 d
<b>Toxicity to other organisms</b>	LD50 (Colinus virginianus (Bobwhite quail)) > 2,000 mg/kg The value mentioned relates to the active ingredient mesosulfuron-methyl. LD50 (Anas platyrhynchos (Mallard duck)) > 2,000 mg/kg

# Safety Data Sheet



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

The value mentioned relates to the active ingredient mesosulfuron-methyl.

### 12.2 Persistence and degradability

**Biodegradability** Mesosulfuron-methyl:  
Not rapidly biodegradable  
Mefenpyr-diethyl:  
Not rapidly biodegradable

**Koc** Mesosulfuron-methyl: Koc: 92  
Mefenpyr-diethyl: Koc: 625

### 12.3 Bioaccumulative potential

**Bioaccumulation** Mesosulfuron-methyl:  
Does not bioaccumulate.  
Mefenpyr-diethyl: Bioconcentration factor (BCF) 232  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Mesosulfuron-methyl: Moderately mobile in soils  
Mefenpyr-diethyl: Slightly mobile in soils

### 12.5 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.  
Do not reuse container for any other purpose.

## SECTION 14. TRANSPORT INFORMATION

### ADG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON-METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC SOLUTION)
Hazchem Code	•3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or

# Safety Data Sheet



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

b) IBCs

### IMDG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON-METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC SOLUTION)

### IATA

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON-METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC SOLUTION )

## SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 62551

### SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

## SECTION 16. OTHER INFORMATION

**Trademark information** Atlantis® is a Registered Trademark of the Bayer Group.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitizer
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 5: Fire Fighting Measures. Section 8: Exposure Controls / Personal Protection. Section 9: Physical and Chemical Properties. Section 10. Stability and reactivity. Section 11: Toxicological Information. Section 13. Disposal considerations.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

# Safety Data Sheet



## Atlantis® OD Selective Herbicide

Version 2 / AUS  
102000012891

Revision Date: 06.10.2020  
Print Date: 06.10.2020

---