

Safety Data Sheet



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Decis Options® Insecticide
Product code (UVP) 05952077

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 4, 109 Burwood Rd
Hawthorn 3122
Victoria
Australia

Telephone (03) 9248 6888

Telefax (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.crop.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Skin irritation: Category 2

H315 Causes skin irritation.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Carcinogenicity: Category 2

H351 Suspected of causing cancer.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

Safety Data Sheet



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to specific Australian legislation

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Deltamethrin
Solvent Naphtha (petroleum), heavy aromatic

Signal word: Danger

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H351 Suspected of causing cancer.
H304 May be fatal if swallowed and enters airways.

Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
P331 Do NOT induce vomiting.
P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/ physician.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Deltamethrin 27.5 g/l
Emulsifiable concentrate (EC)

Chemical name	CAS-No.	Concentration [%]
Deltamethrin	52918-63-5	3.02
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	> 80.00 - < 90.00
Naphthalene	91-20-3	> 5.00 - < 10.00
Tetrapropylene benzene sulfonate, calcium salt	11117-11-6	>= 1.00 - <= 10.00
2-Ethylhexan-1-ol	104-76-7	< 3.00

Safety Data Sheet



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

Other ingredients (non-hazardous) to 100%		
---	--	--

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

- Inhalation** Move the victim to fresh air and keep at rest. Oxygen or artificial respiration if needed. Call a physician or poison control center immediately.
- Skin contact** Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. Clean contaminated clothing and shoes before re-use or discard if they cannot be thoroughly cleaned. If symptoms persist, call a physician.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation or redness persists, see an ophthalmologist.
- Ingestion** Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms** Local: Skin and eye paraesthesia which may be severe, Skin, eye and mucous membrane irritation, Inhalation may provoke the following symptoms: Irritation, Systemic: Restlessness, Gastrointestinal discomfort, Tremors, Dizziness, Headache, Apathy, Nausea, Vomiting, Abdominal pain, Muscular fasciculation, Pulmonary oedema, Unconsciousness, Convulsions, Coma

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment** Local treatment: In case of skin irritation, application of oils or lotions containing vitamin E may be considered. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. Monitor: respiratory and cardiac functions. ECG - monitoring (Electrocardiogram). There is no specific antidote. Contraindication: atropine. Contraindication: derivatives of adrenaline.



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Carbon dioxide (CO₂), Carbon monoxide (CO), Nitrogen oxides (NO_x), Hydrogen bromide (HBr)

5.3 Advice for firefighters

Special protective equipment for firefighters Wear self-contained breathing apparatus and protective suit.

Further information Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Remove all sources of ignition. Use personal protective equipment. Keep unauthorized people away.

6.2 Environmental precautions Contain contaminated water and fire fighting water. Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

Hygiene measures Wash hands before breaks and immediately after handling the product. After each day's use, wash gloves, face shield or goggles and contaminated clothing. Remove soiled clothing immediately and clean thoroughly before using again. Before removing gloves clean them with soap and water.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m ³ (TWA)		OES BCS*
Naphthalene	91-20-3	79 mg/m ³ /15 ppm (STEL)	12 2011	AU NOEL
Naphthalene	91-20-3	52 mg/m ³ /10 ppm (TWA)	12 2011	AU NOEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Use respiratory protection for organic vapours.

Hand protection PVC or nitrile rubber gloves

Eye protection Face-shield

Skin and body protection Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Liquid, clear

Colour light yellow

Safety Data Sheet



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

Odour	aromatic
Odour Threshold	No data available
pH	4.5 - 7.0 (5 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	67 °C
Flammability	No data available
Auto-ignition temperature	> 400 °C
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	7 %(V) The data refer to the solvent.
Lower explosion limit	0.6 %(V) The data refer to the solvent.
Vapour pressure	3 hPa (38 °C) The data refer to the solvent.
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 0.91 g/cm ³ (20 °C)
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	Deltamethrin: log Pow: 6.4 (25 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Heat, flames and sparks.
10.5 Incompatible materials	Oxidizing agents, Strong acids, Bases
10.6 Hazardous decomposition products	Thermal decomposition can lead to release of: Oxides of carbon Bromine compounds Nitrogen oxides (NO _x)

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) 535 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (Rat) > 11.3 mg/l Exposure time: 6 h Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rabbit) > 2,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	Slight irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Irritating to eyes (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Non-sensitizing (Guinea pig) Test conducted with a similar formulation.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice. Naphthalene caused an increased incidence of tumours after chronic inhalation of high vapour concentrations in the following organ: Respiratory Tract. The tumours seen with naphthalene were caused through a non-genotoxic mechanism, which is not relevant at low doses.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Assessment STOT Specific target organ toxicity – single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

Safety Data Sheet



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

Assessment STOT Specific target organ toxicity – repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

Harmful if inhaled. May cause irritation of the mucous membranes.

Irritating to skin. May cause sensitisation by skin contact. Can cause irritation to the skin resulting in effects such as burning and/or tingling sensation. A moderate skin irritant to abraded skin.

Severe eye irritation.

Toxic if swallowed. Small amounts of the solvent in this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.00091 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient deltamethrin.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.0014 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic invertebrates

EC50 (Daphnia (water flea)) 0.00056 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient deltamethrin.

Safety Data Sheet



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 9.1 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to other organisms	(Anas platyrhynchos (Mallard duck)) > 4,640 mg/kg The value mentioned relates to the active ingredient deltamethrin. (Apis mellifera (bees)) The value mentioned relates to the active ingredient deltamethrin. Toxic to bees.

12.2 Persistence and degradability

Biodegradability	Deltamethrin: Not rapidly biodegradable
Koc	Deltamethrin: Koc: 10240000

12.3 Bioaccumulative potential

Bioaccumulation	Deltamethrin: Bioconcentration factor (BCF) 1,400 Does not bioaccumulate.
------------------------	--

12.4 Mobility in soil

Mobility in soil	Deltamethrin: Immobile in soil
-------------------------	--------------------------------

12.5 Other adverse effects

Additional ecological information	No other effects to be mentioned.
--	-----------------------------------

SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

Do not reuse container for any other purpose.

Refillable containers:

If tamper evident seals are broken prior to initial use then the integrity of the contents cannot be assured. Empty container by pumping through dry-break connection system. Do not attempt to breach the valve system or the filling point, or contaminate the container with water or other products. Ensure that the coupler, pump, meter and hoses are disconnected, triple rinsed and drained after each use. When empty, or contents no longer required, return the container to the point of purchase. This container remains the property of Bayer CropScience Pty Ltd.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III

Safety Data Sheet



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
Hazchem Code	•3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;
a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
b) IBCs

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 51849

SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Decis Options® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)



Decis Options® Insecticide

Version 1 / AUS
102000004442

Revision Date: 23.11.2023
Print Date: 23.11.2023

CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.