## **Eclipse® 100 SC Herbicide**

 Version 2 / AUS
 Revision Date: 15.10.2019

 102000007843
 Print Date: 15.10.2019

## SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Eclipse® 100 SC Herbicide

Product code (UVP) 05615232

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd

ABN 87 000 226 022 Level 1, 8 Redfern Road 3123 Hawthorn East

Victoria Australia

**Telephone** (03) 9248 6888 **Telefax** (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.crop.bayer.com.au

1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

## **SECTION 2. HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

### Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 4

H332 Harmful if inhaled.

Carcinogenicity: Category 2

H351 Suspected of causing cancer.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Hazard label for supply/use required.

## Hazardous components which must be listed on the label:

Metosulam

Signal word: Warning Hazard statements

H332 Harmful if inhaled.

# **Eclipse® 100 SC Herbicide**

Version 2 / AUS
102000007843

Revision Date: 15.10.2019
Print Date: 15.10.2019

H351 Suspected of causing cancer.

#### **Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist/ vapours.

P281 Use personal protective equipment as required.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor/physician if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulation.

#### 2.3 Other hazards

No other hazards known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical nature

Metosulam 100 g/l

Suspension concentrate (=flowable concentrate)(SC)

Chemical name	CAS-No.	Concentration [%]
Metosulam	139528-85-1	9.52
Cellulose	9004-34-6	<= 2.00
1,2-Propanediol	57-55-6	>= 1.00 - <= 10.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 - < 0.05
Other ingredients (non-hazardous) to 100%		

### **SECTION 4. FIRST AID MEASURES**

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

## 4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

**Inhalation** When inhaled remove to fresh air and seek medical aid. Oxygen or

artificial respiration if needed. Call a physician or poison control center

immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. Call a physician

or poison control center immediately.

# **Eclipse® 100 SC Herbicide**

Version 2/AUS Revision Date: 15.10.2019 102000007843 Print Date: 15.10.2019

Rinse immediately with plenty of water, also under the eyelids, for at Eye contact

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Rinse mouth. Do NOT induce vomiting. Call a physician or poison Ingestion

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

## **SECTION 5. FIRE FIGHTING MEASURES**

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

**Hazchem Code** •3Z

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment. When dealing with a spillage do not

eat, drink or smoke.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water. Contain contaminated water and fire fighting water. If the product contaminates rivers and lakes or drains inform respective authorities.

# **Eclipse® 100 SC Herbicide**

Version 2 / AUS Revision Date: 15.10.2019
102000007843 Print Date: 15.10.2019

## 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

## **SECTION 7. HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Metosulam	139528-85-1	0.7 mg/m3 (TWA)		OES BCS*
1,2-Propanediol	57-55-6	474 mg/m3/150 ppm (TWA)	12 2011	AU NOEL
(Total vapour and particulates.)		, ,		
1,2-Propanediol	57-55-6	10 mg/m3 (TWA)	12 2011	AU NOEL
(Particulate.)		, ,		
Cellulose	9004-34-6	10 mg/m3 (TWA)	12 2011	AU NOEL
(Inhalable fibers.)		, ,		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## **Eclipse® 100 SC Herbicide**

Version 2 / AUS Revision Date: 15.10.2019
102000007843 Print Date: 15.10.2019

#### 8.2 Exposure controls

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min

Glove thickness > 0.4 mm Protective index Class 6

Directive Protective gloves complying with EN

374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

**General protective measures** In normal use and handling conditions please refer to the label

and/or leaflet. In all other cases the above mentioned

recommendations would apply.

**Engineering Controls** 

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Form suspension

Colour white to beige

**Odour** weak, characteristic

**pH** 5.0 - 8.0 (100 %) (23 °C)

## Eclipse® 100 SC Herbicide

Version 2/AUS Revision Date: 15.10.2019 102000007843 Print Date: 15.10.2019

> 100 °C Flash point

No flash point - Determination conducted up to the boiling point.

**Density** ca. 1.05 g/cm3 (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Metosulam: log Pow: 2.46 (pH 7)

200 - 400 mPa.s (20 °C) Velocity gradient 20 /s Viscosity, dynamic

70 - 140 mPa.s (20 °C) Velocity gradient 100 /s

9.2 Other information Further safety related physical-chemical data are not known.

## **SECTION 10. STABILITY AND REACTIVITY**

10.1 Reactivity

Thermal decomposition > 210 °C, Heating rate: 5 K/min, Decomposition energy: 530 kJ/kg

The value mentioned relates to the active ingredient.

Stable under recommended storage conditions. 10.2 Chemical stability

10.3 Possibility of No hazardous reactions when stored and handled according to

hazardous reactions

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Oxidizing agents, Acids, Reducing agents

10.6 Hazardous

decomposition products

Thermal decomposition can lead to release of:

Hydrogen chloride (HCI)

Hydrogen cyanide (hydrocyanic acid)

Carbon oxides Sulphur oxides

Nitrogen oxides (NOx)

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 5,000 mg/kg

LC50 (Rat) > 4.08 mg/lAcute inhalation toxicity

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

Slight irritant effect - does not require labelling. (Rabbit)

## **Eclipse® 100 SC Herbicide**

 Version 2 / AUS
 Revision Date: 15.10.2019

 102000007843
 Print Date: 15.10.2019

**Respiratory or skin** Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Buehler test

### **Assessment mutagenicity**

Metosulam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### **Assessment carcinogenicity**

Metosulam caused an increased incidence of kidney tumours in rats at high dose levels. Metosulam was not carcinogenic in lifetime feeding studies in mice.

#### Assessment toxicity to reproduction

Metosulam did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Metosulam did not cause developmental toxicity in rats and rabbits.

## Assessment STOT Specific target organ toxicity - single exposure

Metosulam: Based on available data, the classification criteria are not met.

## Assessment STOT Specific target organ toxicity - repeated exposure

Metosulam caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

Harmful if inhaled. Low acute dermal toxicity., Non-sensitizing. May cause eye irritation. Harmful if swallowed.

#### Early onset symptoms related to exposure

Refer to Section 4

## Delayed health effects from exposure

Refer to Section 11

#### **Exposure levels and health effects**

Refer to Section 4

#### Interactive effects

Not known

## When specific chemical data is not available

Not applicable

## Mixture of chemicals

Refer to Section 2.1

## **Further information**

No further toxicological information is available.

# **Eclipse® 100 SC Herbicide**

 Version 2 / AUS
 Revision Date: 15.10.2019

 102000007843
 Print Date: 15.10.2019

#### SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) > 800 mg/l

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 64 mg/l

invertebrates

Exposure time: 48 h

Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) 1.9 mg/l

Growth rate; Exposure time: 72 h

IC50 (Lemna gibba (gibbous duckweed)) 0.00085 mg/l

Growth rate; Exposure time: 7 d

Toxicity to other organisms

LD50 (Anas platyrhynchos (Mallard duck)) > 2,000 mg/kg

The value mentioned relates to the active ingredient metosulam.

12.2 Persistence and degradability

**Biodegradability** Metosulam:

Not rapidly biodegradable

Koc Metosulam: Koc: 166

12.3 Bioaccumulative potential

**Bioaccumulation** Metosulam:

Does not bioaccumulate.

12.4 Mobility in soil

**Mobility in soil** Metosulam: Moderately mobile in soils

12.5 Other adverse effects

**Additional ecological** 

information

No other effects to be mentioned.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

Do not reuse container for any other purpose.

#### SECTION 14. TRANSPORT INFORMATION

## **ADG**

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III

## **Eclipse® 100 SC Herbicide**

 Version 2 / AUS
 Revision Date: 15.10.2019

 102000007843
 Print Date: 15.10.2019

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(METOSULAM MIXTURE)

Hazchem Code •3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

**IMDG** 

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III
Marine pollutant YES

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(METOSULAM MIXTURE)

**IATA** 

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III
Environm. Hazardous Mark YES

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(METOSULAM MIXTURE)

## **SECTION 15. REGULATORY INFORMATION**

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994 Australian Pesticides and Veterinary Medicines Authority approval number: 63231

## **SUSMP classification (Poison Schedule)**

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

## **SECTION 16. OTHER INFORMATION**

**Trademark information** Eclipse® is a Registered Trademark of the Bayer Group.

## Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

AU OEL Australia. OELs. (Adopted National Exposure Standards for Atmospheric

Contaminants in the Occupational Environment)

CAS-Nr. Chemical Abstracts Service number

CEILING Ceiling Limit Value

# **Eclipse® 100 SC Herbicide**

Version 2 / AUS
102000007843

Revision Date: 15.10.2019
Print Date: 15.10.2019

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

OES BCS OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure

Standard"

PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration

of a particular substance determined over the shortest analytically practicable period of

time which does not exceed 15 minutes.

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SK-SEN Skin sensitiser

SKIN DES: Skin notation: Absorption through the skin may be a significant source of

exposure.

STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA

exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the

STEL.

TWA TWA: Exposure standard - time-weighted average (TWA): The average airborne

concentration of a particular substance when calculated over a normal eight-hour

working day, for a five-day working week.

TWA Time weighted average

UN United Nations

WHO World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.