

Safety Data Sheet



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

1/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name EverGol® Prime Seed Treatment and In-furrow Fungicide
Product code (UVP) 80210922

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide, Seed treatment

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 4, 109 Burwood Rd
Hawthorn 3122
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.crop.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Carcinogenicity: Category 2
H351 Suspected of causing cancer.

Chronic aquatic toxicity: Category 2
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to specific Australian legislation

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Penflufen



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

2/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

Signal word: Warning

Hazard statements

H351 Suspected of causing cancer.

Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
 P280 Wear protective gloves/ protective clothing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Penflufen: 240 g/L active ingredient
Flowable concentrate for seed treatment (FS)

Chemical name	CAS-No.	Concentration [%]
Penflufen	494793-67-8	22.40
1,2-Propanediol	57-55-6	<= 10.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 0.005 - <= 0.05
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	>= 0.0002 - <= 0.0015
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

Inhalation Move the victim to fresh air and keep at rest. Call a physician or poison control center immediately. Oxygen or artificial respiration if needed.

Skin contact Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician or poison control center immediately.



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

3/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

Ingestion Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for firefighters Wear self-contained breathing apparatus and protective suit.

Further information Evacuate personnel to safe areas. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Keep unauthorized people away. When dealing with a spillage do not eat, drink or smoke.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. If the product contaminates rivers and lakes or drains inform respective authorities.



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

4/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Remove Personal Protective Equipment (PPE) immediately after handling this product. After each day's use, wash gloves, face shield or goggles and contaminated clothing. Before removing gloves clean them with soap and water. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Keep away from direct sunlight.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Penflufen	494793-67-8	1.1 mg/m ³ (TWA)		OES BCS*
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m ³ /150 ppm (TWA)	12 2011	AU NOEL
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m ³ (TWA)	12 2011	AU NOEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Respiratory protection should only be used to control residual risk of



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

5/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm, minimum rate of permeability 480 min). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	red
Odour	characteristic
Odour Threshold	No data available
pH	6.5 - 8.0 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	No data available
Flash point	No flash point - Determination conducted up to the boiling point.
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature	No data available

Safety Data Sheet



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

6/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

(SADT)

Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.13 g/cm ³ (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	log Pow: 3.5(pH 6.3) The value mentioned relates to the active ingredient.
Partition coefficient: n-octanol/water	Penflufen: log Pow: 3.3 (25 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under normal conditions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Strong oxidizing agents, Strong acids, Strong bases
10.6 Hazardous decomposition products	Thermal decomposition can lead to release of: Toxic gases/vapours

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

7/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 1.877 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Non-sensitizing (Mouse)

Assessment mutagenicity

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Penflufen caused at high dose levels an increased incidence of tumours in in the following organ(s): ovaries, Brain, hematopoietic system.

Assessment toxicity to reproduction

Penflufen did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Penflufen did not cause developmental toxicity in rats and rabbits.

Assessment STOT Specific target organ toxicity – single exposure

Penflufen: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Penflufen did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

May be harmful if inhaled.
May cause irritation.
May cause eye irritation.
May be harmful if swallowed.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

8/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

Not known

When specific chemical data is not available
Not applicable

Mixture of chemicals
Refer to Section 2.1

Further information
No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Cyprinus carpio (Carp)) 0.103 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient penflufen. LC50 (Cyprinus carpio (Carp)) 0.062 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 4.7 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility. EC50 (Daphnia magna (Water flea)) > 4.9 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5.1 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility. EC50 (Raphidocelis subcapitata (freshwater green alga)) > 24.8 mg/l Exposure time: 72 h
Toxicity to other organisms	LC50 (Colinus virginianus (Bobwhite quail)) > 456 mg/kg LC50 (Colinus virginianus (Bobwhite quail)) > 4,000 mg/kg The value mentioned relates to the active ingredient penflufen. LD50 (Apis mellifera (bees)) > 108.2 µg/bee The value mentioned relates to the active ingredient penflufen. LC50 (Eisenia fetida (earthworms)) > 1,000 mg/kg Exposure time: 14 d The value mentioned relates to the active ingredient penflufen.

12.2 Persistence and degradability

Biodegradability Penflufen:
Not rapidly biodegradable

Koc Penflufen: Koc: 280

12.3 Bioaccumulative potential



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

9/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

Bioaccumulation Penflufen: Bioconcentration factor (BCF) 142
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Penflufen: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse container for any other purpose.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN SOLUTION)
Hazchem Code	•3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;
a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
b) IBCs

IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

10/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 64744

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information EverGol® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development

Safety Data Sheet



EverGol® Prime Seed Treatment and In-furrow Fungicide

Version 1 / AUS
102000025750

11/11
Revision Date: 24.11.2023
Print Date: 24.11.2023

OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.