Alsystin® 480 SC Larvicide

 Version 1 / AUS
 Revision Date: 17.04.2020

 102000026276
 Print Date: 17.04.2020

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Alsystin® 480 SC Larvicide

Product code (UVP) 80553145, 80972075

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Larvicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd

ABN 87 000 226 022 Level 1, 8 Redfern Road 3123 Hawthorn East

Victoria Australia

Telephone (03) 9248 6888 **Telefax** (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.crop.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

No hazard label for supply/use required.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Alsystin® 480 SC Larvicide

Version 1 / AUS Revision Date: 17.04.2020 102000026276 Print Date: 17.04.2020

Triflumuron 480 g/l

Suspension concentrate (=flowable concentrate)(SC)

Chemical name	CAS-No.	Concentration [%]
Triflumuron	64628-44-0	39.35
Glycerine	56-81-5	>= 10.00 - <= 20.00
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	< 0.003
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.02 - < 0.05
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

Alsystin® 480 SC Larvicide

Version 1 / AUS
102000026276

Revision Date: 17.04.2020
Print Date: 17.04.2020

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable None known.

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

Wear self-contained breathing apparatus and protective suit.

Further information Remove product from areas of fire, or otherwise cool containers with

water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental precautions

Contain contaminated water and fire fighting water. Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

Alsystin® 480 SC Larvicide

Version 1/AUS Revision Date: 17.04.2020 102000026276 Print Date: 17.04.2020

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Keep away from food, drink and animal feedingstuffs. Advice on common storage

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Triflumuron	64628-44-0	0.2 mg/m3		OES BCS*
		(TWA)		
Glycerine	56-81-5	10 mg/m3	12 2011	AU NOEL
		(TWA)		
(Inhalable mist.)				

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection

Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mm

Directive Protective gloves complying with EN

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly

Alsystin® 480 SC Larvicide

 Version 1 / AUS
 Revision Date: 17.04.2020

 102000026276
 Print Date: 17.04.2020

contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

General protective measures In normal use and handling conditions please refer to the label

and/or leaflet. In all other cases the above mentioned

recommendations would apply.

Engineering Controls

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colour white to beige

Odour weak, characteristic

Odour Threshold No data available

pH 7.0 - 8.0 (100 %) (23 °C)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point > 100 °C

No flash point - Determination conducted up to the boiling point.

Flammability No data available

Auto-ignition temperature 475 °C

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Density ca. 1.22 g/cm³ (20 °C)

Water solubility miscible

Partition coefficient: n-

octanol/water

Triflumuron: log Pow: 4.9 (22 °C)

Viscosity, kinematic

Impact sensitivity

Oxidizing properties

No data available

Not impact sensitive.

No oxidizing properties

Alsystin® 480 SC Larvicide

Version 1/AUS Revision Date: 17.04.2020 102000026276 Print Date: 17.04.2020

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 0.215 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

No eye irritation (Rabbit) irritation

Test conducted with a similar formulation.

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Magnusson & Kligman test

Assessment mutagenicity

Triflumuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Triflumuron was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Alsystin® 480 SC Larvicide

Version 1 / AUS Revision Date: 17.04.2020 102000026276 Print Date: 17.04.2020

Triflumuron did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Triflumuron did not cause developmental toxicity in rats and rabbits.

Assessment STOT Specific target organ toxicity - single exposure

Triflumuron: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Triflumuron did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

May cause irritation.

May cause mild irritation to the skin.

May cause mild irritation to eyes.

May be harmful if swallowed.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 183 mg/l

Exposure time: 96 h

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 0.00032 mg/l

invertebrates Exposure time: 48 h

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) > 446 mg/l

Growth rate; Exposure time: 72 h

Alsystin® 480 SC Larvicide

 Version 1 / AUS
 Revision Date: 17.04.2020

 102000026276
 Print Date: 17.04.2020

12.2 Persistence and degradability

Biodegradability Triflumuron:

Not rapidly biodegradable

Koc Triflumuron: Koc: 8601

12.3 Bioaccumulative potential

Bioaccumulation Triflumuron: Bioconcentration factor (BCF) 612

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Triflumuron: Immobile in soil

12.5 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

Do not reuse container for any other purpose.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLUMURON SOLUTION)

Hazchem Code •3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or

b) IBCs

IMDG

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III
Marine pollutant YES

Alsystin® 480 SC Larvicide

 Version 1 / AUS
 Revision Date: 17.04.2020

 102000026276
 Print Date: 17.04.2020

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(TRIFLUMURON SOLUTION)

IATA

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III
Environm. Hazardous Mark YES

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLUMURON SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994 Australian Pesticides and Veterinary Medicines Authority approval number: 67093

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Alsystin® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

AU OEL Australia. OELs. (Adopted National Exposure Standards for Atmospheric

Contaminants in the Occupational Environment)

CAS-Nr. Chemical Abstracts Service number

CEILING Ceiling Limit Value Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)
Inhibition concentration to x %

ICx Inhibition concentration to x % IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

Alsystin® 480 SC Larvicide

 Version 1 / AUS
 Revision Date: 17.04.2020

 102000026276
 Print Date: 17.04.2020

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

OES BCS OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure

Standard"

PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration

of a particular substance determined over the shortest analytically practicable period of

time which does not exceed 15 minutes.

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SK-SEN Skin sensitiser

SKIN_DES SKIN_DES: Skin notation: Absorption through the skin may be a significant source of

exposure.

STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA

exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the

STEL.

TWA: Exposure standard - time-weighted average (TWA): The average airborne

concentration of a particular substance when calculated over a normal eight-hour

working day, for a five-day working week.

TWA Time weighted average

UN United Nations

WHO World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.